











YLIGHT SOLUTIONS



'WE JUST LOVE THE NATURAL LIGHTING FEEL'

300mm (I/N 0820077) 400mm (I/N 0820079) 3 METRE XTENSIO SHAFT KITS

The EzyLite Skylight is the ideal DIY product, constructed with a soft malleable aluminium soaker tray which can be easily formed to suit your roof profile. The dome is made from tough, impact resistant, molded acrylic which filters out 95% of UV Radiation.

- Available in 300mm or 400mm round sizes
- Durable, aluminium soaker tray can be molded to suit either tile or corrugated roofs
- · Complete with a standard 2 metre length of flexible Mylar Shaft
- Topped with an impact resistant molded acrylic dome
- One piece roof assembly for simple installation
- Complete with ceiling ring, diffuser and all the fixings











TradeLites are an unobtrusive way to bring light to dim rooms and areas without sacrificing privacy. If the idea of natural sunlight streaming across your breakfast table appeals to you, or you simply want to reduce your power bills, then the EzyLite TradeLite is the product for you.





Available in 400mm and 550mm square kits

- Zinc Soaker tray folded to suit tile or corrugated roofs
- · Comes complete with a standard 2 metre length of flexible Mylar Shaft ्र व्या अस्प्राचीत स्मा
- Topped with an impact resistant molded acrylic dome
- One piece roof assembly for simple installation
- Ceiling frame, diffuser and all the fixings



BATHROOM






1300F/ \\\ \N\ \N\

The EzyLite Roof Window BUDGET is our entry level roof window product. Designed for ease of installation these windows are manufactured with the budget conscious customer in mind. A professional quality finish which won't blow the cost of your project through the roof.





- Powdercoated aluminium frame
- One piece assembly including flashing tray
- Handle winder (for within reach application)
- Hi-Impact Acrylic glazing (97% UV screen)











OPTIONAL EXTENSION ROD & HOOK KIT Extendable control rod (1.8–3m) for high windows.





BOOF WINDOW SOLUTIONS PLUS



ROOF WINDOWS ARE THE DESIGNER'S CHOICE FOR BRINGING A ROOM TO LIFE.

The EzyLite® Roof Window PLUS range is our premium window product. All PLUS Windows are fitted with flyscreens and solar blockout blinds as standard. PLUS models feature an exclusive high-torque chain operator which is rated to more than 25kg sash weight.


New Viridian SmartGlass[™] technology for significantly enhanced energy efficiency.

The PLUS range includes external colorbond colour options so you can expertly match your window to your roof for a visually appealing finish (standard finish - zincalume).

STANDARD FEATURES

- VIRIDIAN SMARTGLASS™ PANORAMIC GLAZING
- FLYSCREEN AND SOLAR BLOCKOUT BLIND
- ONE PIECE ASSEMBLY INCLUDING ROOF FLASHING TRAY
- POWDER COATED ALUMINIUM FRAMES
- HANDLE WINDER (I/N 0820192) (FOR WITHIN REACH APPLICATION)





Viridian	10	Year	Warranty	available	οn	Glass	only	,
viiiuiaii	10	ı c aı	vvarianty	available	UH	Glass	OHII	1

\	SMARTGLASS™ PANORAMIC PROPERTIES	VISIBLE TRANS	VISIBLE REFLECT (EXTERNAL)	VISIBLE REFLECT (INTERNAL)	SOLAR TRANS	SOLAR RELFLEX	UV TRANS	U VALUE (W/M2C)	SHADING COEFF.	SHGC
		63%	9%	10%	45%	8%	41%	3.7	0.62	0.53

STANDARD SIZES

- 800 HIGH x 550 WIDE
- 1000 HIGH x 550 WIDE
- 1400 HIGH x 550 WIDE
- 1000 HIGH x 800 WIDE
- 1400 HIGH x 800 WIDE

AVAILABLE THROUGH SPECIAL ORDERS





OPTIONAL ACCESSORIES

EXTENSION ROD & HOOK KIT

Extendable control rod (1.8–3m) for high windows. (I/N 0820189)



POWER AND PLAY

Motorised drive control system 240volt "power and play" with RF remote control.

Minimum requirement - licenced electrician.



RAIN SENSORS

Multi-window automatic heated rain sensor can control any number of windows within a 10 metre radius.

COLOUR OPTIONS



Expertly colour match to your roof for that sleek and professional finish. (I/N 0820196)

POOF WINDOW SOLUTIONS PLUS

ORDERING GUIDE



STANDARD FEATURES	EZY-WINDOW PLUS
Powder coated aluminium frames	•
One piece assembly including roof flashing tray	•
Handle winder (for within reach applications)	•
Viridian SmartGlass [™] "Panoramic"	•
Flyscreen and Solar Blockout Blind	•
24 Month Warranty	•
800mm High x 550mm Wide	•
1000mm High x 550mm Wide	•
1400mm High x 550mm Wide	•
1000mm High x 800mm Wide	•
1400mm High x 800mm Wide	•
OPTIONAL FEATURES	EZY-WINDOW PLUS
Control Rod and Hook Kit	•
240V Power and Play Motordrive and Remote	•
Heated Rain Sensor	•
Colorbond colour match	•

ITEM NO.	PART NO.	DESCRIPTION
0820178	OW855T	Roof Window Opening 800x550 - Tile
0820179	OW855CGI	Roof Window Opening 800x550 - CGI
0820180	OW1055T	Roof Window Opening 1000x550 - Tile
0820181	OW1055CGI	Roof Window Opening 1000x550 -CGI
0820182	OW1455T	Roof Window Opening 1400x550 - Tile
0820184	OW1455CGI	Roof Window Opening 1400x550 - CGI
0820185	OW108T	Roof Window Opening 1000x800 -Tile
0820186	OW108CGI	Roof Window Opening 1000x800 -CGI
0820187	OW148T	Roof Window Opening 1400x800 -Tile
0820188	OW148CGI	Roof Window Opening 1400x800 -CGI
0820189	RC	Control Rod & Hook Kit
0820190	HOOK	Hook Only
0820192	HANDLE	Handle Only
0820193	240VMD	Motor Drive 240V & Remote Kit
0820194	REMOTE	RF Radio Remote Only
0820195	RSENSOR	240V Radio Remote Rain Sensor
0820196	COLOR	Colorbond Color Match



(I/N 0820197)

EZZY LITE® DIY VENTING SOLUTIONS








Sturdy, durable and made from the highest quality weather resistant materials, the EzyLite Static Roof Vent offers all the performance of standard roof venting systems but in a slimline, low profile finish which is designed to complement your homes appearance.

*Recommended 1 vent per 80m² of floor space.

The EzyLite Roof Vent is the economical solution for your roof ventilation requirements.





- Silent Operation
- Superior thermal transmission
- Simple four step installation
- Australian Standards Compliant
- Modern, Sleek, Low Profile Design
- Suits Tile & Corrugated Roofs









Disclaimer: The information contained in this brochure was correct at time of publication. ACOL has the right to change any specifications at any time. Any updated or changed specifications or product features will be made available on the company web site: ACOL will not be responsible for any physical or financial loss or disadvantage based on the specifications contained within this brochure.



SCAN QR BARCODE WITH SMART PHONE FOR MORE INFO





